

# Responsible RestartOhio

## Manufacturing, Distribution & Construction



### Mandatory

#### Employees, Distributors, & Guests

- **Ensure minimum 6 ft between people, if not possible, install barriers**
- Employees must perform daily symptom assessment\*
- Require employees to stay home if symptomatic
- Face coverings must be worn at all times
- Require regular handwashing
- Stagger or limit arrivals of employees and guests
- Personnel should work from home if possible

### Recommended Best Practices

- Provide stipend to employees for private transportation

#### Shift Pattern

- Daily disinfection of desks and workstations
- Change shift patterns (e.g. fewer shifts)
- Stagger lunch and break times

- Split into sub-teams, limit contact across sub-teams
- Reduce pace to allow less FTEs per line

#### Physical Spaces / Workstations

- **Ensure minimum 6 ft between people, if not possible, install barriers**
- Daily deep disinfection of high-contact surfaces
- Space factory floor to allow for distancing
- Regulate max number of people in cafeterias/ common spaces
- Establish maximum capacity (e.g. 50% of fire code)

- Close cafeteria and gathering spaces if possible, or conduct regular cleanings
- Daily deep disinfection of entire facility

#### Confirmed Cases

- Immediately isolate and seek medical care for any individual who develops symptoms while at work
- Contact the local health district about suspected cases or exposures
- Shutdown shop/floor for deep sanitation if possible

- Work with local health department to identify potentially infected or exposed individuals to help facilitate effective contact tracing/notifications
- Once testing is readily available, test all suspected infections or exposures
- Following testing, contact local health department to initiate appropriate care and tracing

\*Daily symptom assessments should include taking your temperature with a thermometer and monitoring for fever. Also watch for coughing or trouble breathing.



# Responsible RestartOhio

## Consumer, Retail & Services



### Mandatory

### Recommended Best Practices

#### Employees

- **Ensure min 6 ft between people, if not possible, install barriers**
- Employees must perform daily symptom assessment\*
- Require employees to stay home if symptomatic
- Face coverings must be worn at all times
- Require regular handwashing
- Place hand sanitizers in high-contact locations
- Clean high-touch items after each use (e.g. carts, baskets)

- Group employees by shift to reduce exposure

#### Customers & Guests

- **Ensure minimum 6 ft between people**
- Specify hours for at-risk populations (e.g. elderly)
- Place hand sanitizers in high-contact locations
- Ask customers and guests not to enter if symptomatic
- Face coverings to be worn while shopping or visiting
- Stagger entry of customers and guest

- Health questionnaire for symptoms at entry point
- Provide face coverings upon entry
- Where possible, accept customers by appointment only
- Increase availability for curbside pickup
- Consider suspending return policies

#### Physical Spaces

- **Ensure minimum 6 ft between people, if not possible, install barriers**
- Post social distancing signage & disinfect high-contact surfaces hourly
- Clean merchandise before stocking if possible
- Establish maximum capacity (e.g. 50% of fire code)
- Discontinue self-service food stations, product samples
- Food courts remain closed

- Close once a week for deep cleaning
- Maximize available checkout space to promote social distancing (e.g., space customer lines with floor markers, use alternate registers)
- Use contact-less payments where possible
- Increase capacity for delivery and curbside pickup

#### Confirmed Cases

- Immediately isolate and seek medical care for any individual who develops symptoms while at work
- Contact the local health district about suspected cases or exposures
- Shutdown shop/floor for deep sanitation if possible

- Work with local health department to identify potentially infected or exposed individuals to help facilitate effective contact tracing/notifications
- Once testing is readily available, test all suspected infections or exposures
- Following testing, contact local health department to initiate appropriate care and tracing

\*Daily symptom assessments should include taking your temperature with a thermometer and monitoring for fever. Also watch for coughing or trouble breathing.



# Responsible RestartOhio

## General Office Environments



### Mandatory

#### Employees & Guests

- **Ensure minimum 6 ft between people, if not possible, install barriers**
- Personnel should work from home when possible
- Employees must perform daily symptom assessment\*
- Require employees to stay home if symptomatic
- Face coverings must be worn at all times while working
- Require regular handwashing
- Reduce sharing of work materials
- Limit travel as much as possible
- Stagger arrival of all employees and guests
- Post signage on health safety guidelines in common areas

#### Physical Spaces / Workstations

- Frequent disinfection of desks, workstations, and high-contact surfaces
- Daily disinfection of common areas
- Cancel/postpone in person events when social distancing guidelines cannot be met
- No buffet in cafeteria
- Utilize disposable tableware and other materials
- Establish maximum capacity (e.g. 50% of fire code)

#### Confirmed Cases

- Immediately isolate and seek medical care for any individual who develops symptoms while at work
- Contact the local health district about suspected cases or exposures
- Shutdown shop/floor for deep sanitation if possible

### Recommended Best Practices

- **Ensure seating distance of 6 ft or more**
- Enable natural workplace ventilation
- Health questionnaire for symptoms at entry
- Temperature taking protocol

#### • **Redesign/space workstations for 6 ft or more of distance**

- Close cafeteria and gathering spaces if possible, or conduct regular cleanings
- Limit congregation in office spaces
- Divide essential staff into groups and establishing rotating shift
- Availability of at least 3 weeks of cleaning supplies

- Work with local health department to identify potentially infected or exposed individuals to help facilitate effective contact tracing/notifications
- Once testing is readily available, test all suspected infections or exposures
- Following testing, contact local health department to initiate appropriate care and tracing

\*Daily symptom assessments should include taking your temperature with a thermometer and monitoring for fever. Also watch for coughing or trouble breathing.